

Integrated solutions with

Thuraya IP+^{PLUS}

THURAYA 
stay close



When you need superior mobility with zero compromise on connectivity, there can only be one choice: Thuraya IP+. The lightest, fastest satellite broadband terminal in its class, Thuraya IP+ can be deployed from backpack to broadband in a matter of seconds, providing reliable broadband access within locations covered by Thuraya's congestion-free satellite network.









Light, Speed.
Everywhere.

Work. Email. Surf. Skype. Facebook.
Anywhere.

The high-speed IP capabilities of Thuraya IP+ enable users to access corporate networks and connect with colleagues, family and friends via email, social media and VoIP applications – wherever and whenever they need it.

Providing 'always-on' mobile broadband access, Thuraya IP+ is ideal for a wide range of mission-critical operations such as broadcast media, defense, telemedicine and disaster response. With Thuraya IP+, broadcasters are also equipped with high-speed IP streaming connections to ensure that their video feeds can be transmitted back to their studios in the most optimized manner.

Thuraya IP+. The world's most compact and powerful satellite data terminal.

 <p>Advantages of the Thuraya IP+</p>	 <p>Thuraya IP+</p>	 <p>Thuraya IP</p>	 <p>Explorer 300</p>	 <p>Explorer 500</p>	 <p>Explorer 700</p>	 <p>Hughes 9201</p>	 <p>Hughes 9202</p>
Zero Monthly Fee Plan	✓	✓	✗	✗	✗	✗	✗
Unlimited Usage Plan	✓	✓	✗	✗	✗	✗	✗
Amazing Hardware Price	✓	✓	✗	✗	✗	✗	✗
Most Attractive Airtime Pricing	✓	✓	✗	✗	✗	✗	✗
Smallest	216 x 216 x 45 mm	158 x 225 x 50 mm	217 x 168 mm	217 x 218 mm	297 x 399 x 51 mm	345 x 275 X 50 mm	216 x 216 x 50 mm
Ultra-light and portable	1.4 kg	1.3 kg	1.4 kg	1.4 kg	3.2 kg	2.8 kg	1.5 kg
Standard IP	Up to 404/444 kbps (send/receive) with built-in antenna	Up to 202/444 kbps (send/receive) with built-in antenna Up to 404/444 kbps (send/receive) with external antenna	Up to 240 / 384 kbps (send/receive)	Up to 448 / 464 kbps (send/receive)	Up to 492 kbps (send & receive)	Up to 492 kbps (send & receive)	Up to 448/464 kbps (send & receive)
Streaming IP	16, 32, 64, 128 and 256, 384 kbps (with built-in antenna)	16, 32, 64, 128 and 256 (with built-in antenna) 16, 32, 64, 128, 256 and 384 kbps (with external antenna)	32, 64 kbps	32, 64, 128 kbps	32, 64, 128, 176, 256 kbps, BGAN X-Stream	32, 64, 128, 176, 256 kbps, BGAN X-Stream	32, 64, 128, 256 kbps
Upto 40% lower Streaming costs	✓	✓	✗	✗	✗	✗	✗
Data interfaces	Ethernet RJ-45, WLAN 802.11 b/g/n	USB, Ethernet RJ-45, WLAN 802.11 b	Bluetooth, Ethernet	USB, Bluetooth, Ethernet	USB, Bluetooth, Ethernet, WLAN 802.11 a/b/g	USB, Ethernet, WLAN 802.11 b	USB, Ethernet, WLAN 802.11 b
Ingress Protection	IP 55	IP 55	IP 54	IP 54	Transceiver: IP-52 Antenna: IP-66	IP 55	IP 55
Battery Life	Stand-by: 36 hours, 1 hour of continuous transmission at highest rate	Stand-by: 36 hours, 1 hour of continuous transmission at highest rate	Stand-by: 36 hours Transmit: max. 1h 20m @ 96 kbps	Stand-by: 36 hours Transmit: 1.5 hours @ 144 kbps	Stand-by: 36 hours Transmit: max. 2h 30m @ 144 kbps, 1.5 hours @ 492 kbps	Stand-by: 36 hours	Stand-by: 36 hours Transmit: max. 3h 25m @ 128 kbps, 5.5 hours @ 128 kbps
Congestion Free Network	✓	✓	✗	✗	✗	✗	✗